

## Excerpt 2 from **Diesel Standby Generator Maintenance**

### **PROPONENCY OF EPS SYSTEMS**

3.1 Proponent Organizations are Community Services, Medical Services, Office Services, Training, and other community-based organizations.

3.2 Community-based organizations outside oil or gas-related facilities can request Dhahran Utilities Department (DUD) to provide EPSS maintenance services except as limited by DUD manpower and budget constraints.

3.3 Proponent Responsibility for EPSS equipment and EPSS facilities.

3.3.1 Accountability and Custody of EPSS equipment and facilities remains with Proponent. The proponent will ensure equipment is registered and assigned an accounting plant number as required.

3.3.2 EPSS Facility maintenance is the responsibility of the Proponent.

3.3.3 Proponent is Responsible for ensuring fuel is supplied to the EPSS fuel storage tank.

3.3.4 Standards Compliance responsibility of the EPS System rests with Proponent.

3.3.4.1 EPSS Modifications shall be initiated by the Proponent and reviewed by the Emergency Generator Maintenance Unit (EGMU) prior to implementation.

3.3.4.2 Prescribed Logs of preventive maintenance, testing, and repairs shall be kept by EGMU and ready for inspection.

3.3.4.3 Tests and Inspections affecting Standards compliance shall be reviewed and approved by the Proponent.

3.3.5 EPSS Work Orders shall be initiated by the Proponent.

3.3.5.1 Signature Authority List for work orders shall be provided by Proponent to EGMU.

3.3.5.2 Emergency Maintenance Work Orders requiring overtime or hot-list repairs shall be overtime approved by the Proponent.